



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123 Case Veh. (A): 1998 Plymouth

Type: Neon, 4-door sedan Driver: 31-year-old female

CDC: 12-FYEW-3

SITUATION

(Slide 11) On a clear, night, case vehicle (A) was traveling west at an unknown speed in the right westbound lane of a (slide 2) 6-lane asphalt, limited-access freeway. There were no streetlights, but the road surface was dry and free of defects. The driver of case vehicle (A) lost control of the vehicle, possibly by falling asleep, and (slide 3) the vehicle veered to the left and struck the concrete median barrier with its left front. The vehicle then rotated counterclockwise and came to rest facing northwest in the left westbound lane. The driver of case vehicle (A) was taken to a local area hospital and treated for her injuries. A blood test revealed a blood alcohol level of .27.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) Damage to case vehicle (A) was moderate. (Slide 5) Direct damage began at the left-front bumper corner and extended 70 cm to the right, resulting in a vehicle overlap of 49 percent. (Slide 6) The maximum crush was 45 cm at the left-front bumper corner.

Using the WinSMASH accident reconstruction program and (slides 7, 8, 9 and 10) c-values measured for case vehicle (A), the following impact severities were calculated:

		Calculated Velocity Change - kph (mph		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	28 (18)	-28 (-17)	5 (3)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slide 11) In the front, the plastic fascia, the grille, the left headlight assembly, (slide 12) both hood hinges, and the hood were damaged. (Slides 13 and 14) The hood latch was separated from the hood, (slide 15) but still latched in the latching mechanism. The rear edge of the hood was

elevated (slide 16) and it had contacted the cowl, which contacted and cracked the lower left portion of the windshield. (Slide 17) Most of the windshield was cracked due to body distortion, and there was a 35-cm long vertical hole in the left portion of the windshield, which may have been caused by the heat of the sun or by rescue personnel.

On the left side, (slide 18) the fender was crushed, the left-front wheel was damaged, and the tire was flat. (Slide 19) The front door, the left upper and lower A- and B-pillars, the left upper C-pillar, (slide 20) the left roof siderail, and the left side of the roof were damaged. (Slide 21) Both left-side doors were jammed closed and the left-side window glass was broken out. The left wheelbase was reduced 20 cm.

On the right side, (slide 22) the fender was deformed and the right-rear tire was flat. (Slides 23 and 24) There was no other right side damage and there was no significant change in the wheelbase.

(Slide 25) The rear window was broken out, but there was no other damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags and (slides 26, 27, 28 and 29) both airbags deployed. There was no damage to the (slides 30, and 31) steering-wheel or (slides 32 and 33) passenger frontal-impact airbag module covers. (Slide 34) There was no damage to the steering-wheel rim or (slides 35) spokes, but the steering column was rotated to the right and down. The left upper A-pillar, (slide 36) the left footwell panel, (slide 37) and the left-front door panel, hardware, and armrest were damaged. (Slide 38) Also, the left portions of the headliner, roof structure, and windshield top molding were damaged. (Slide 39) The upper and (slide 40) mid instrument panels and instruments (gauges and visual displays) were knocked loose. The radio was damaged, a radio control knob was knocked off, and the metal radio control knob stalk was deflected to the left. (Slide 41) The brake pedal was deflected to the left. (Slide 42) The rear-view mirror was knocked off of its mount. (Slide 43) The climate control ducts and upper vent outlets were damaged. (Slides 44 and 45) The luggage area access

panel of the rear-seat backrest was knocked loose. The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
Left front (slides 46 & 47)	toepan far left	11	to rear
	knee bolster	7	to rear
	toepan at brake pedal	4	to rear

OCCUPANT KINEMATICS AND INJURIES

(Slide 48) The 5-ft, 1-in, 180-lb, 31-year-old female driver was <u>not</u> using the three-point belt and (slide 49) the frontal-impact airbags deployed. (Slide 50) There were no witness marks on the plastic D-ring. (Slide 51) The driver seat was in a middle seat-track position.

On impact, the driver continued forward and to the left in relation to the vehicle interior as the vehicle rotated counterclockwise after initial impact with the median barrier. She was knocked unconscious for an unknown length of time and sustained a contusion to her right cheek, avulsion of her upper right front teeth (6th, 7th and 8th), a through-and-through laceration to her lip, and a 1.5-cm laceration to her chin, probably due to head contact with the left-front door panel, or possibly from contact with the upper A-pillar. She sustained a laceration to her left eyebrow, probably from airbag contact with her eyeglasses. She sustained contusions around the right and left eyes, probably from her eyeglasses that were contacted by the deploying airbag. She sustained an abrasion to her right cheek, and contusions to the center and right side of her chest, probably due to contact by the deploying airbag. She sustained a contusion across her abdomen, probably from the steering-wheel rim, or possibly from the airbag. She sustained a contusion to her left thigh from the knee to the pelvis, probably due to direct contact with the left-front door interior, (slides 52 and 53) as evidenced by outward deflection of the door panel. She sustained an abrasion to her right shin, (slide 54) probably from direct contact with the knee bolster, (slide 55) as evidenced by scuff marks on the knee bolster, or possibly from contact with the vertical console and/or the radio controls, (slide 56) as evidenced by scuff marks on the vertical console and a bent radio control stalk. She sustained an abrasion to her left shin, probably due to direct contact with the footwell panel, (slide 57) as evidenced by broken plastic on the panel. She sustained a sprain to her right ankle, probably from braking or bracing, (slide

58) as evidenced by the brake pedal being deflected to the left, or possibly due to lateral loading on her foot by the intruding toepan.

The following table and attached drawing (slide 59) summarize the injuries sustained by the driver of case vehicle (A).

Occupant: Driver Restraints: 3-point belt <u>not</u> worn; airbag deployed

Age: 31 years Stature: 155 cm (5 ft, 1 in)

Gender: Female Mass: 82 kg (180 lb)

		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Laceration, left eyebrow	1		Eyeglasses (airbag interaction)	
Contusions, around right and left eyes	1		Eyeglasses (airbag interaction)	
Abrasion, right cheek	1		Airbag	
Contusion, right cheek	1		Airbag	
Unconscious, unknown length of time	2		Side-door interior surface	A-pillar
Avulsion, upper right front teeth 6th, 7th and 8th	1		Side-door interior surface	A-pillar
Through-and-through laceration, lip	1		Side-door interior surface	A-pillar
1.5-cm laceration, chin	1		Side-door interior surface	A-pillar
Contusion, center of chest	1		Airbag	
Contusion, right side of chest	1		Airbag	
Contusion, across abdomen	1		Lower steering-wheel rim	Airbag
Contusion, left thigh from knee to pelvis	1		Side-door interior surface	

(Driver injuries continued on next page)

(Driver injuries continued)

Occupant: Driver Restraints: 3-point belt <u>not</u> worn; airbag deployed

Age: 31 years Stature: 155 cm (5 ft, 1 in)

Gender: Female

Mass: 82 kg (180 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Abrasion right shin	1		Knee bolster	Vertical console/radio control knob
Abrasion, left shin	1		Side footwell panel	
Sprain, right ankle	1		Brake pedal	Toepan
Blood alcohol level .27				
Maximum A.I.S. Level	<u>2</u>			
Injury Severity Score	<u>6</u>			

Duplicate columns 1-8 Module G I Format 0 from the previous card. 9 10 11	2 12	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	_	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	33
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	<u>1</u> <u>28</u> <u>5</u> <u>29</u>	(9) UNKNOWN SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN VISIBILITY LIMITATION (FOR CASE VEHICLE)	<u>l</u> <u>O</u> 36
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	30	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	38
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	6 43	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	1 44 5 45	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER	47	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATALING INJURY	2
(1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN CASE VEHICLE RAN OFF ROADWAY	48	SEVERITY UNKNOWN (9) UNKNOWN DRIVER IMPAIRMENT	55
(BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	49	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>O</u> 56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 50	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	. <u>2</u>
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	O 59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>Q</u> 52	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	<u>O</u> 53	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	_0	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 60

Duplicate columns 1-8 from the previous card. Module O V Format 0 4 9 10 11 12	OTHER VEHICLE (OV-1
MAKE:	CARGO:	
MODEL: NOT APPLICABLE		
VIN	29	
MANUFAC/BODY CODE	VEHICLE TYPE	
MAKE/MODEL CODE	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY	56 57
MODEL YEAR	(24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT	
VEHICLE MASS (kg)	(28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 51	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER	
TRAVELING SPEED (km/h)	TRUCK	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI)	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN	•
· · · · · · · · · · · · · · · · · · ·	WHEELBASE (cm) (999) UNKNOWN	58 59 60

Duplicate columns 1-8 Module O 9	V Format 0 2	Отне	R VEHICLE OV-2
	ORIGINAL SP	ECIFICATIONS	
Wheelbase	cm	Front Overhang	cm
Curb Weight	kg	Rear Overhang	cm
Average Track Width	cm	Undeformed End Width (UEW)	cm
Overall Length	cm	Engine Displacement	L
Overall Width (OAW)	cm	Engine: # of Cylinders	33 34
	VEHICLE	DAMAGE	***************************************
		•	
	NOT APP	LICABLE	
-			
		•	
	FRONTAL CRA	ASH OVERLAP	
Round up for .5. 98 = 98% or m Enter % overlap or "99" for missing	ore	Direct Damage Length (DDL)	cm
Front-End Overlap (% 38 39
Vehicle Overlap (Percent) = _Dt	DL + 1/2 (OAW - UEV OAW	v)	<u> </u>

Duplicate columns 1-8 Module V D Format 0 from the previous card. 9 10 11	4 12		VE	HICLE [DESCRIP	TION	VD-1
MAKE: Plymouth			CARG	O:			
MODEL: New, 4-door sedan							
VIN 1 P 3 E 5 4	7	<u>C</u> X	W D		00	0	0 0
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{3}{4}$ $\frac{4}{2}$	2 7	STOLE	N VEHICL	.E			
MAKE/MODEL CODE <u>O 5 2</u>	2 <u>8</u>			CTED			8 62
MODEL YEAR $\frac{1}{39}$ $\frac{9}{9}$	<u>8</u>						
VEHICLE MASS (kg) 0 0 1 2	<u>5</u>		STRUCTU SODY & FRA				2
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49	5 54	(2) U (3) II (4) B	INITIZED NTEGRAL-S IODY & PLA	TUB FRAN			63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	56	(5) P (7) C	E.G. VW BU PARTIALLY (OTHER: INKNOWN	G) JNITIZED			
TRAVELING SPEED (km/h) 9 9	9						
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	39	(0) N (1) A (2) M	MISSION IONE LUTOMATIC IANUAL INKNOWN				64
VEHICLE TYPE		LOCAT	ION OF T	DANISMI	ROIDS		
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)	14		TOR LEVE		501014		7
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	60 61		LOOR ONSOLE				65
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN		(3) C	OLUMN THER:				
(15) STATION WAGON (16) CONVERTIBLE		(9) U	NKNOWN	•			
(18) OTHER PASS. VEH. :							
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)		STEER	ING		_		
(21) SMALE OTILITY (E.G. JEEP, SCOOT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN			OWER IANUAL				66
(24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME			NKNOWN				
TRUCK		BRAKE	S				
(31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	i	_≠1) P					1
(33) PICKUP TRUCK, LARGE			ANUAL NKNOWN	-			67
(99) UNKNOWN							

		VEHICLE DESCRIPTION	VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	3 68	WHEELBASE <i>(cm)</i> (999) Unknown	<u>Z</u> 64 76 77 78
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>6</u> 9	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN	<u>O</u> 79
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT	Z 71 Q 72 3	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH	
(2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	73 O 74 l 75	FRONT OR REAR FRONT	

Duplicate columns 1-8 from the previous card. Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

Undeformed End Width (UEW)

Overall Length


Engine Displacement


1 7 2 cm Overall Width (OAW)


Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL)
$$\frac{O}{35} \frac{7}{2} \frac{0}{37}$$
 cm

Front-End Overlap (Percent) = DDL UEW

$$\frac{4}{38} \frac{9}{39} \%$$

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module D // from the previous card.	A_Format 0 2 11 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{\mathbf{q}}{35} \frac{\mathbf{q}}{36} \frac{\mathbf{g}}{37}$
ESTIMATED BY	17	<u>8</u> 38
CRUSH (cm)	<u>0</u> <u>4</u> <u>5</u> <u>19</u> <u>20</u>	$\frac{Q}{39} = \frac{9}{40} = \frac{8}{41}$
CDC #1	1 2. FYEW. 3	98.00000.0
CDC #2	<u>9</u> 8.0000.0	98.0000.0
Duplicate columns 1-8 Module D A from the previous card. 9 10	N_Format _0 _3	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	<u>Q</u> 13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21 27	42 - 48
CDC #2	28 34	49 55
Codes	÷	
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN IMPACT SPEED	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
(998) NOT APPLICAB (999) UNKNOWN	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM LE SPECIFY: (7) OTHER:	CDC (9800000) NOT APPLICABLE
, ,	(8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9900000) UNKNOWN

Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12 DAMAGE DA-2 Duplicate columns 1-8 from the previous card. MAXIMUM SHEET METAL CRUSH (999) UNKNOWN (cm) FRONT 0 45 $\frac{\mathcal{O}}{16} \stackrel{\mathcal{O}}{=} \frac{\mathcal{O}}{18}$ RIGHT SIDE 0 0 O_{22} O_{24} REAR LEFT SIDE 000 000 **ROOF** OTHER CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES **EVENT NUMBER** IMPACT CONFIGURATION OBJECT/VEHICLE CONTACTED IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE FOR CODES, SEE TABLE FOR CODES, SEE TABLE (3) ON ROADSIDE ON PAGE DA-3. ON PAGE DA-4. (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN # 1 #2 #3 42 #4 #5 #6 #7

62

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDÉSWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
 (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
 (46) SIDESWIPED BY CONTACTED VEHICLE

- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER -

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT (00)
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE) (98)
- UNKNOWN (99)

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI	< 2286 mm (< 90°)
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110° - 114.9°)
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°. E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
 (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
 (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN) (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

	R Format 0 1 12	CRASH RECONSTRUCTION CR-1				
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT		
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE		
EVENT NUMBER	13		47			
ΔV (km/h) TOTAL	0 2 8	8	48 49 50	66 67 68		
LONGITUDINAL*	$-\frac{7}{17} \frac{0}{0} \frac{2}{20} \frac{8}{20}$	8 38	51 54	69 72		
LATERAL*	+005	8				
*NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76		
EXAMPLES: $10 \text{ km/h} = \pm 0 \underline{1} \underline{0}$ $-7 \text{ km/h} = \pm 0 \underline{0} \underline{7}$						
ENERGY DISSIPATED BY CRUSH (ki)	<u>o</u> <u>O</u> <u>3</u> 9 ₂₈	\$	59 62	77 — 80		
RECONSTRUCTION						
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22					
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64			
NOT RECONSTRUCTED BECAUSE						
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED			-			
MODE						
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	2 31	. حد	- 65			
COMPUTER PROGRAM SPECIFY: WHDS MASS						

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION for EBS

CR-2

	for EBS						
	CASE VEHICLE P	CASE VEHICLE SE	E SECONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE			
EVENT NUMBER	13		47				
EBS (km/h) TOTAL	0 2 8	<u>8</u> = 33 34	48 49 50	66 67 68			
- LONGITUDINAL*	$\frac{-6}{17}$ $\frac{6}{2}$ $\frac{8}{20}$	<u>8</u>	51 54	69 72			
LATERAL* NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	<u>+</u> <u>00</u> <u>5</u>	8	55 58	73 — 76			
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = : <u>0</u> <u>0</u> <u>7</u> ENERGY DISSIPATED BY		e					
CRUSH (kj)	O O 3 9 28	43 - 46	59 62	77 — 80			
RECONSTRUCTION							
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	2 7 30		63 64				
NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER:			h .				
(11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED			-				
MODE							
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65				
COMPUTER PROGRAM SPECIFY: WINSMASS							

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION

CR-3

NOTES:

1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.

2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE

LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

Locate	4. USE To		FTHE WHEELB.			er line, or	an undama	aged axle	for side im	pacts.	
Specific	Impact No.		Location of	Direct Dar	nage		Location of Field L				
		Begin	Lt. Ft.	BC 70	cm to	R+ F	7. Bu	rpea	BC to	BC	
<u>-</u>		line in the tab	ole below is a	C6 C5 C4 C3 C2 C1	IN CEN		FRS plicate col	DL UDI		<u>4</u>	d line.
Specific Impact Number	Plane of Impact C-Measur.	Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	c ₃	C ₄	C ₅	C ₆	±D
- 1		70	56	127	56	32	18	9	6	15	- 37
			-11		-11	-4	-1	-/	-4	-11	
					-						
-											
1	1	070	045	127	045	028	017	008	002	004	-037
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
· · · · · · · · · · · · · · · · · · ·											
, ,						-					

2

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u> 11 12

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR


3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
-		





DL _____

UDL ____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).		plicate col	umns 1 - 1	2 for each	complete	d line.
Specific - Impact Number			Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
	-										
					-						
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

WHEELS AND TIRES WT-1 Duplicate columns 1-8 from the previous card. WHEELS--DAMAGED LF SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF <u>P18565R14</u> **RF** (0) NO (1) YES (9) UNKNOWN RF <u>18565R14</u> RR LR RR P18565114 LR <u>\$18565 R14</u> TIRE TREAD TYPE LF (1) REGULAR -(2) SNOW **RF** (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: RR (9) UNKNOWN LR LF CARCASS CONSTRUCTION (1) BIAS RF (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL RR (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN LR IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:

Duplicate columns 1-8 Module F T Format (from the previous card. 9 10 1	0 <u>1</u> 1 12	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
- MAIN TANK LOCATION	322 14 16	AUXILIARY TANK LOCATION	<u>888</u>
MAIN FILLER CAP LOCATION	1 33	AUXILIARY FILLER CAP LOCATION	3 8 7 27 27
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	<u>8</u> 28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
 (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

<u>O</u>

	1	11	III	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	<u>-</u>				21
#2	22 23		_	_		29
#3	30 31					37
#4	38 39		_	_		45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED
- (F, P & B) (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 from the previous card. 9 10 11	1 12	Fire	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAG (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE? O 13	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module <u>E</u> <u>D</u> Format <u>(</u> from the previous card.	1 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING	
		FLEXIBLE COUPLING TYPE	
FOR THE FOLLOWING, USE CODES:		(0) NONE	
(a) NO		(1) FLEXIBLE MATERIAL	9 26
(0) NO (1) YES		(2) POT (3) SINGLE U-JOINT	26
(8) NOT APPLICABLE (9) UNKNOWN		(4) DOUBLE U-JOINT (5) FLEXIBLE CABLE	
(6)		(6) COMBINATION OF ABOVE (CIRCLE EACH)	
	0	(7) OTHER:	
HOOD LATCH(ES)RELEASED	$\frac{\mathcal{O}}{13}$	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
-DAMAGED	1		
LATEN	14	COUPLINGDAMAGED	9 27
-JAMMED		(USE CODES	27
LATCH -DAMAGED SEPARATEY -JAMMED FROM HOOP	15	<i>FROM <u>HOOD</u> PERFORMANCE</i>) -SEPARATED	9
	/	(COMPLETE)	28
HOOD HINGESLEFT, DAMAGED	16		
LEET CERADATED			
-LEFT, SEPARATED (COMPLETE)	<u>0</u> 7	*	
-RIGHT, DAMAGED		ENG COMPART TELESCOPING UNIT	
	18 D	TYPE OF UNIT	
-RIGHT, SEPARATED (COMPLETE)	19		
(COMPLETE)	19	(00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2	8 8
		(88) NOT COLLECTED (97) OTHER:	29 30
HOOD REMAINED ON VEHICLE	20	(98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	
	,		
REAR EDGE OF HOODELEVATED	<u>/</u>	ORIGINAL LENGTH (mm)	
CONTACTED WINDSHIELD	21	F (OR H):	
CONTACTED WINDSHIELD	$\frac{\mathcal{O}}{22}$	•	
-PENETRATED WINDSHIELD	<u>8</u>	TELESCOPED LENGTH (mm)	
	23	G:	
HOOD LATCH LOCATION		G	
(1) FRONT OF VEHICLE	<i> </i>	DIFFERENCE (mm)	
(2) COWL AREA (3) SIDE	24	F <i>(OR H)</i> - G	
(8) NOT APPLICABLE (9) UNKNOWN		(IF LESS THAN 15mm, ENTER *000*.)	
		(888) NOT COLLECTED	
		(991) NOT MEASURED/NO	8 8
Engine or Transmission Mount	İ	COMPRESSION (992) COMPRESSED, AMOUNT	31
SEPARATION (COMPLETE)		UNKNOWN (993) DEVICE EXTENDED	
(0) NO	0	(997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT	
(1) YES (9) UNKNOWN	25	EQUIPPED) (999) UNKNOWN	>1
(3) 014(404)(4		(333) (141/1404414	

		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>4</u>	USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -B-PILLAR, UPPER	35 36 4 37	-FRONT	Ø 43 Ø 44
LOWER -C-PILLAR, UPPER	<u>4</u> 38	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -D-PILLAR, UPPER	O 40 8 41	-FRONT -REAR	45 / 46
LOWER	8 42		

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE		WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?	1
(0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE	<u>O</u> 47	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	50
(4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR		SPARE TIRE	
(9) UNKNOWN Hatchback		(0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED	51
One-way		(9) UNKNOWN	
Two-way or or		TRAILER HITCH TYPE (0) NO HITCH	
Clamshell		BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G.	52
Single door		RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING)	
Double door		(4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	8/48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION		TRAILER TYPE (AT TIME OF COLLISION)	
(5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN		(0) NO TRAILER(1) TRAVEL-TRAILER/CAMPER(2) MOBILE HOME(3) BOAT/SNOWMOBILE/ATV TRAILER	53
(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		(4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN	
DOOR JAMMED CLOSED (0) NO	8	(9) UNKNOWN	
(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	49	-1	

		EXTERIOR DAMAGE I	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>~</u> 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>O</u> 55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN	00
LOWER	<u>O</u> 56	-FRONT -REAR	00
-B-PILLAR, UPPER	<u>O</u> 57		65 66
LOWER	<u>Ø</u> 58	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	O 59	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	<u>0</u>	-FRONT	<u>O</u> 67
-D-PILLAR, UPPER	<u>8</u>	-REAR	68
LOWER	8 8	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT & LEFT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>

EXTERIOR DAMAGE ED-5 WINDSHIELD DAMAGE WINDSHIELD MARK ON CASE VEHICLE: WINDSHIELD CRACKED (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO **SAFEGUARD** (1) YES (8) NOT APPLICABLE **DOT-22 GG M55 T** (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT 43R-00146 O (0) NO (1) YES (8) NOT APPLICABLE WINDSHIELD CODE (9) UNKNOWN (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) **EXTENT OF BOND SEPARATION** (99) UNKNOWN 0 (0) NONE (1) 1 - 20% Roof (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (6) TOTAL (0) NO (7) SEPARATED, AMOUNT (1) YES UNKNOWN (8) NOT APPLICABLE (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM <u>INSIDE</u>. Holed by heat of the sun or rescue personnel 35 cm

R

Duplicate columns 1-8 Module S C Format 0 from the previous card. 9 10 11		STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK = 22 (99) UNKNOWN	
STEERING WHL SPOKE DAMAGE (0) NONE	1 5	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	<u>O</u>	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	O 17	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u> 18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
	T	TECHING VYHEEL AND COLUMN	JU-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE			
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<u>⊘</u> 33
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			<u> </u>
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
RT:		·	
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8	_	
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	$\frac{2}{31}$		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	2 32	_	

•			
-			
	4.		
. · · · · · · · · · · · · · · · · · · ·	•		
		-	


1 = Definitely 2 = Probably 3 = Possible


INTRUSION IT-1

		(All Me	Dominant				
Location of		Comparison	_	Intruded	=		Crush
Intrusion	Intruded Component	Value		Value	_	Intrusion	Direction
11	Toepan far left	106	_	95	=	11	X
11	Toepan at brake pedal	110		106	=	4	Х
11	Toepan below right knee contact	95		95	=	0	X
11	Instrument panel far left	64	_	57	=	7	X
					_=		
			_		=		
					=		
			_		=		
			***		=		
	ÒCC	UPANT CONT	ГАСТ	WORKSHI	EET		

					Confidence
	Interior	Occupant	Body		Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
Α	Lt. door	Driver	Left thigh	Bowed outward	1
	Footwell	Driver	Lt. leg	Cracked and broken plastic	1
В	panel				
С	Brake pedal	Driver	Rt. ankle	Deflected left	1
D-	Knee bolster	Driver	Rt. leg	Scuff mark	1
_	Vertical	Driver	Rt. leg	Scuff mark	1
E	console				
_	Radio knob	Driver	Rt. leg	Plastic knob knocked off and	1
F				metal stalk deflected left	
G					
Н					
1					
J					

VEHICLE OCCUPANT CONTACT DIAGRAM





CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT		LEFT CENTER		RIGHT (3) RIGHTCENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER		RIGHT &AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER		RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE V	/EH	ICLE WIDTH			CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL

A-PILLAR
WINDSHIELD HEADER

- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57) ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60)ROOF
 ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	1 T Format 0 1 12			INTE	RUSION	IT-5							
WAS THERE OCCUPANT COM (0) NO <u>DO NOT</u> ANSWER NEX (1) YES <u>ANSWER</u> NEXT QUEST (9) UNKNOWN <u>SKIP PAGE</u> .	T QUESTION. <u>SKIP PAGE</u> .	N? <u>1</u> V	VAS INTRUSION (0) NO <u>COM</u> (1) YES <u>SKI</u>	<u>MPLETE</u> PAC		<u>ठ</u>							
Duplicate columns 1-8 Module I T Format 0 2 from the previous card. 9 10 11 12 NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.													
INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY													
A B C INTRUDING INTRUSION OCC. COMPONENT NUMBER SPACE NO. OR OBJECT	ASSOC. MAXIMUM MAX EVENT INTRUSION INTR	F G IMUM MAXIMUM USION INTRUSION IS (cm) Z AXIS (cm)		I NJURY UMBER	J OCCUPANT NUMBER	K							
13-14 15-16 17-18		2-23 24-25		28-29	30-31	32-33							
0 1 1 0 3 0 2 1 1 0 1 0 3 1 1 0 3	1 11 0 1 07 8 1 04 0		00	17 00	00	00							
0 4						 							
0 7 NOTE: USE ADDITIONAL PAGE IF MORE THA													
Duplicate columns 1-8 from the previous card. Module I T Format 0 3 11 12 NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION DAMAGED DAMAGED DAMAGED NUMBER COMPONENT 1 COMPONENT 2 CODES FOR COMPONENTS													
CODES	A		25 29 33 37	(1 (2 (3 (4 (5 (7	O) NONE I) A-PILLAR B-PILLAR I) C-PILLAR I) LATCH/STRII I) HINGES O) OTHER: I) NOT APPLIC I) UNKNOWN								

Duplicate columns 1-8 from the previous card.

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.		F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8			_					-		
0 9										
10			_							
11			_							
12							<u> </u>			
13										
1 4										
<u>1</u> <u>5</u>										
1 6			_							
<u>1</u> 7						<u> </u>				
1 8										
<u>1</u> 9										
20										
2 1								-		
22										
2 3										
2 4	. -									
2 5										

Duplicate columns 1-8 from the previous card.	Modu	le <u>l</u> <u>D</u> 9 10	Format <u>0</u> <u>1</u>	ln	ITERIOR DAMAGE [[D-1
co.	(1) NO) YES i) NO, and	OCCUPANT CONTACT	(4) YES, and (8) NOT APPI (9) UNKNOW	OCCUPANT CONTACT LICABLE N	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE	LEFT 1 13 1 15 1 17 1 19 0 23 0 25 1 27 1 29 0 31 0 33 8 35 1 37 1 39 8	RIGHT O 14 O 16 O 18 O 20 O 24 O 26 O 28 O 30 O 34 O 36 O 38 O 40 X	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	1 45 0 46 1 47 0 48 1 50 0 51 0 52 0 53 0 54	INSTRUMENT PANEL UPPER PANEL APPER PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: *	1 55 56 58 59 58 1 59 1 60 1 61 62 8 63 64 60 66 86 67 67 67 67 67 67
T-ROOF/SUN ROOF OTHER: *	41 8 43	0 20 80 22 86 44			REAR WINDOW WINDOW HEADER CONSOLES VERTICAL - Swifted ROOF	68 69 70 8

^{*} MORE THAN ONE ITEM MAY BE NOTED.


Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS	,	ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	PASSEN'R	FRONT SEAT-BACK	DRIVER	Passen'r
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	<u>Ø</u> 5	15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	30	31
(97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	1/8	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED - (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	1 22	RECLINER MECHANISM HELD (0) NO (1) YES	4	
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	₹ 23	₹ 24	(8) NOT APPLICABLE (9) UNKNOWN	36	3/
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	<u>D</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	2	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	⊘ 40	<u>₹</u>
FRONT SEAT ROTATION	0	0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	1/42	2/43
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	<u>O</u> 29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0 4	<u>O</u>

			Se	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSEN'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN	46	1/47	CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN	- 6	§
ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	(8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED SECOND SEAT-BACK LOCKS	LEFT	Rіgнт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE(9) UNKNOWN	<u>O</u> 50	<u>O</u> 51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	,	a
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	<u>\$</u>	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	7 61 0 63 0 65	62 8 64 1 66
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	2 54	<u>3</u>	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	<u>Ø</u> 68
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіgнт	EQUIPPED	0 88	<u>O</u> 70
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	6 56	6 57	BACKREST DAMAGED CUSHION DAMAGED	71 73	72
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	71	<u>9</u>


Duplicate columns 1-8 Module A B Format 0 from the previous card. 9 10 11		AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	16
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>∂</u>	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>0</u>

AIRBAG AB-2

AIRBAG NUMBER ON DRIVER SIDE:




Driver Airbag Door



Vents: Y N
if yes, how many: 2
at 11 and 1 oclock

Tethers: Y N
if yes, how many: 2

AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 9 10 11	2 12	Occupant Information (OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>O</u> 1/13 14	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	$\frac{3}{20} \frac{1}{21}$ $\frac{2}{22} \frac{5}{23}$
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH	16	MASS (kg) (999) UNKNOWN (180 lb) HEIGHT (cm) (999) UNKNOWN (5 ft, lin) SEX (1) MALE (2) FEMALE (9) UNKNOWN	0 8 2 24 25 26 1 5 5 27 28 29 2 30
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA (07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER	0 4 32
(10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	18 19	(09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	O 6 33 34 O 35

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	2-36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 41 42
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG NOT DEPLOYED (2) AIRBAG NOT REINSTALLED (4) PASSIVE LAP & UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 37 Q 38 P 40	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, RIGHT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46 P

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.



INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

			.			PRIM	IARY	OIC		A	ssoc	IATE	OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAE START V IN 1ST C	BILITY (HOP NITH MOST CONTACT A	S IN ORDER OF RIZONTALLY) . IT PROBABLE AREA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT N	LESION の	SYSTEM/ORGAN 4	SEVERITY 10	BODY REGION 1	ASPECT O	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
01	01	38	<u>87</u>		E	<u>s</u>	<u>_</u>	Ī	1		_	_	_	_	
	02	38	<u>87</u>		E	<u>L</u>	<u>c</u>	I	1	_		_		_	Lt. Eye
	03	38	87		E	R	<u>c</u>	I	1	_				_	Rt. Eye
	04	<u>87</u>			E	R	A	Į	1			_			Rt. Cheek
	05	87			E	R	<u></u>	I	1	_			_		Rt. Check
	06	20	<u> 14</u>		£	I	Y	<u>S</u>	1			_			#6
	07	20	14		F	I	V	<u>S</u>	1	_	_				* 7
	08	20	14		E	I	<u>v</u>	<u>5</u>	1	_					#8
ach line.	09	20	14		E	Į	<u>L</u>	Ţ	1	_			_		cip
"Occupant Number" for each line.	10	20	14		E	Į	<u>८</u>	I	1						chiw
ant Num	11	87			<u>c</u>	<u>_</u>	<u>_</u>	I	1			_			
	12	87			<u>c</u>	R	د	I	1						
Duplicate	13	65	87		M	W	C	I	1			_			
	14				_	<u>_</u>					_	_	_	_	
		16	86	87		<u>R</u>					_				
	16	91				<u></u>		_	-	_	_				
		28	40			<u></u>				_	_	_	_		
		20	14			M				_			_		
1	USE ADDIT		50 (5::5:				<u></u>				_	_			

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

	OODEO I OITAINEAO OI I OO	DIDEE GOOD! AI	TOOM ACT
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)		(20)	SURFACE OF SIDE INTERIOR
(12)		(19)	
(12)	WINDOINEED		
(05)	INCTOLINENT DANIEL (COECIEIC AREA LINIVAIGNAI)	(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)		
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
, ,		• •	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL		C-PILLAR
(53)	PARCEL TRAY	• •	D-PILLAR
(48)	KNEE RESTRAINT	. (17)	
(86)	VERTICAL CONSOLE	FLOOR	• +
(00)	VENTIONE CONCOLE		FLOOD
(00)	FOOT CONTROLS (INCL. BARKING BRAKE BEDALL)		FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
		(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
- (66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		•
		Roof	•
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	
	CONTROL KNOB(S) & LEVER(S) (FRONT)		• •
(83)		(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	
(67)	IGNITION KEY	. (18)	
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	, ,	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
(00)	TIOO! MOONTED CONTINUES CONSCIES	(37)	
D-10			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)		(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL		
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE		·
		(70)	HOOD OF OTHER VEHICLE
(07)	·	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	•	OUTSIDÉ MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)		(78)	GROUND
	ARMREST ON SEAT		
		(79)	WATER -
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
4001			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE	_	
	RESTRAINT SYSTEM WEBBING	PENETR/	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS	. ,	,
	KNEE RESTRAINT	MISCELL	ANEOUS
• •	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT RESTRAINTS		
	CHILD SEAT	(30)	OTHER (E.G. FIRE. DESCRIBE) - 38 = Eye (1446)
			SPARE TIRE
	INTERIOR LOOSE OBJECT	• •	INDUCED
	OTHER OCCUPANT(S)		EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
(41)	UNKNOWN INTERIOR SURFACE		HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE <u>BODY REGION</u> CODES LISTED ON PAGE IC - 4. (H) HEAD FACE --- (N) NECK --(S) SHOULDER _ (BS) THORACIC SPINE -(C) CHEST (A) UPPER ARM (E) ELBOW (R) FOREARM (W) WRIST . (W) HAND (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS THIGH (K) KNEE-(L) LOWER LEG (Q) ANKLE ¯ (Q) FOOT~

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

4		
ı	BODY	REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 5 SYSTEM/ORGAN 4 LESION 9 ASPECT 0 BODY REGION 1

5 SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN

























20000#1





























































20000#4





JUUU#44





















√20000*‡*54











PN 20000 #59